







































## CarbonClean Dual Standard Gas Adapter Kit #200-3025A











| Adapter   | Part No.                         | Quantity | Application  |
|---|----------------------------------|----------|--|
|    | 060-1000                         | 2        | GENERAL APPLICATIONS UTILIZING 1/4" FUEL LINE - MALE. (USE WITH SUITABLE HOSE CLAMPS.)                             |
|    | 060-1100                         | 2        | GENERAL APPLICATIONS UTILIZING 5/16" FUEL LINE-MALE. (USE WITH SUITABLE HOSE CLAMPS.)                              |
|    | 060-1200                         | 2        | GENERAL APPLICATIONS UTILIZING 3/8" FUEL LINE - MALE. (USE WITH SUITABLE HOSE CLAMPS.)                             |
|   | 060-1300                         | 2        | GENERAL APPLICATIONS UTILIZING 1/4" FUEL LINE - FEMALE. (USE WITH SUITABLE HOSE CLAMPS.)                           |
|  | 060-1400                         | 2        | GENERAL APPLICATIONS UTILIZING 5/16" FUEL LINE - FEMALE. (USE WITH SUITABLE HOSE CLAMPS.)                          |
|  | 060-1500                         | 2        | GENERAL APPLICATIONS UTILIZING 3/8" FUEL LINE - FEMALE. (USE WITH SUITABLE HOSE CLAMPS.)                           |
|  | 060-1700                         | 1        | CARBURETED VEHICLES WITH 5/16" FLARE FUEL INLETS. USE WITH 060-3304 FOR SOME FUEL INJECTED VEHICLES - RETURN LINE. |
|  | 060-1800                         | 1        | CARBURETED AND EARLY FUEL INJECTED VEHICLES WITH 3/8" FLARE FUEL INLETS.   |
|  | 060-2501                         | 1        | FORMS "TANK TO TANK" LOOP ON ALL VEHICLES. USED TO EXTEND VEHICLE'S RETURN LINE DURING DIAGNOSTICS.                |
|  | 060-2800                         | 1        | 1/4" MALE. LATE MODEL VEHICLES TBI AND/OR PORT FUEL. (GM-CHRYSLER-JEEP/EAGLE).                                     |
|  | 060-3100<br>(080-3402<br>O-Ring) | 1        | TBI AND/OR PORT FUEL PRESSURE LINE - MALE. G.M. VORTEC M16 x 1.5   |

|   |   |   |   |
|---|---|---|---|
|    | 060-3105  | 1 | TBI AND/OR PORT FUEL PRESSURE LINE - FEMALE. G.M. VORTEC M16 x 1.5  |
|    | 060-3300<br>(080-3302<br>O-Ring)                      | 1 | TBI AND/OR PORT FUEL RETURN LINE - MALE. G.M. VORTEC M14 x 1.5  |
|    | 060-3305  | 1 | TBI AND/OR PORT FUEL RETURN LINE - FEMALE. G.M. VORTEC M14 x 1.5  |
|    | 060-3500<br>080-3402<br>O-Ring,<br>080-3501<br>Clip)  | 1 | 3/8" MALE SPRING LOCK WITH CLIP (GREY). PORT FUEL-RETURN LINE. (USE AS PRESSURE LINE ON SOME RANGERS AND BRONCOS) |
|    | 060-3505  | 1 | 3/8" FEMALE SPRING LOCK. PORT FUEL - RETURN LINE. (USE AS PRESSURE LINE ON SOME RANGERS AND BRONCOS)              |
|   | 060-3600<br>(080-3602<br>O-Ring,<br>080-3601<br>Clip) | 1 | 1/2" MALE SPRING LOCK WITH CLIP (BLACK). PORT FUEL - PRESSURE LINE. FORD  |
|  | 060-3605  | 1 | 1/2" FEMALE SPRING LOCK PORT FUEL - PRESSURE LINE. FORD   |
|  | 060-3901<br>(080-3904<br>Clip)                        | 1 | 3/8" QUICK DISCONNECT PORT FUEL AND TBI   |
|  | 060-4200  | 1 | 5/16" MALE TBI AND/OR PORT FUEL (GM-CHRYSLER-JEEP/EAGLE).   |
|  | 060-4300  | 1 | 3/8" TBI AND/OR PORT FUEL (GM-CHRYSLER-JEEP/EAGLEFORD).   |
|  | 060-3902  | 1 | 1/4" FEMALE TBI AND/OR PORT FUEL (GM-CHRYSLER-JEEP/EAGLEFORD).  |
|  | 060-4501  | 1 | TEE ADAPTER FOR SINGLE LINE FUEL INJECTION SYSTEMS  |
|  | 060-0440  | 2 | HOSE CLAMPS. USE WITH 060-1000 THROUGH 060-1500.  |
|  | 060-0450  | 2 | HOSE CLAMPS. USE WITH 060-1000 THROUGH 060-1500.  |















## CarbonClean Dual Deluxe Gas Adapter Kit #200-3026A






| Adapter   | Part No.                                | Quantity | Application  |
|---|---|----------|--|
|    | 060-1600                                | 1        | 12MM BANJO FITTING<br>CIS OR EFI SYSTEMS.<br>IN CONJUNCTION WITH 060-1900, 060-1901, 060-1902.               |
|    | 060-1602                                | 1        | 12MM 90° BANJO FITTING<br>CIS OR EFI SYSTEMS.<br>IN CONJUNCTION WITH 060-1900, 060-1901, 060-1902            |
|    | 060-2402                                | 2        | 14MM BANJO FITTING<br>BMW AND LATE MODEL VW<br>PRESSURE LINE.  |
|    | 060-3304<br>(080-3302<br>O-Ring)        | 1        | USED WITH MV0601700<br>TBI AND/OR PORT FUEL<br>RETURN LINE – MALE M14 x 1.5                                  |
|    | 060-3400<br>(080-3402<br>O-Ring)        | 1        | USED WITH 060-1800 TBI<br>AND/OR PORT FUEL RETURN<br>LINE – MALE M16 x 1.5                                   |
|   | 060-3508                                | 1        | "TEST PORT/SCHRADER<br>VALVE" CONNECTION - FORD.<br><b>NOTE:</b> THE SCHRADER VALVE<br>CORE MUST BE REMOVED. |
|    | 060-3700<br>(080-3701<br>Viton<br>Seal) | 1        | "TEST PORT/SCHRADER<br>VALVE" CONNECTION - GM.   |
|  | 060-3900<br>(080-3903<br>Clip)          | 2        | 5/16" QUICK DISCONNECT<br>PORT FUEL AND TBI FORD 5<br>LITER  |
|                        | 060-3901<br>(080-3904<br>Clip)          | 1        | 3/8" QUICK DISCONNECT<br>PORT FUEL AND TBI   |
|          | 060-4300                                | 1        | 3/8"<br>TBI AND/OR PORT FUEL<br>(GM-CHRYSLER-JEEP/EAGLE).  |
|    | 060-1900<br>(Bolt)                      | 2        | CONNECTS 12MM BANJO<br>FITTINGS FOR DIAGNOSTICS<br>AND/OR CREATING A LOOP.                                   |
|   | 060-1901<br>(Washer)                    | 6        |  |
|   | 060-1902<br>(Nut)                       | 2        |  |
|    | 060-2740<br>(Bolt)                      | 1        | CONNECTS 14MM BANJO<br>FITTINGS FOR DIAGNOSTICS<br>AND/OR CREATING A LOOP                                    |
|   | 060-2741<br>(Washer)                    | 3        |  |
|   | 060-2742<br>(Nut)                       | 1        |  |

## CarbonClean Dual Optional Gas Adapters

| Adapter   | Part No.   | Quantity | Application  |
|---|--|----------|--|
|    | 060-4800/<br>Male Side                               | 1        | Late Model Mitsubishi Products<br>(Also includes Chrysler Imports,<br>various Kia, Suzuki, & Hyundai<br>Gas Powered Models)  |
|    | 060-4805<br>/ Female<br>Side                         | 1        | Late Model Mitsubishi Products<br>(Also includes Chrysler Imports,<br>various Kia, Suzuki, & Hyundai<br>Gas Powered Models)  |
|    | 060-2310<br>/ Female<br>Side                         | 1        | "Bubble Flare" Type Adapter / 14<br>mm x 1.5<br>Common Applications Include:<br>Mercedes-Benz, Volkswagen, Audi,<br>& others with C.I.S. Fuel Injection<br>Systems |
|    | 060-2315<br>/ Male<br>Side                           | 1        | "Bubble Flare" Type Adapter / 14<br>mm x 1.5<br>Common Applications Include:<br>Mercedes-Benz, Volkswagen, Audi,<br>& others with C.I.S. Fuel Injection<br>Systems |
|    | 060-2325<br>/ Male<br>Side                           | 1        | Japanese / Toyota 14 mm x 1.5<br>Flare Type Adaptor (Pressure Side)  |
|  | 060-3101<br>/ Male<br>Side (080-<br>3402 O-<br>Ring) | 1        | 2000 & Newer Nissan Products<br>(Includes Nissan Quest & Maxima)   |
|  | 060-3102<br>/ Female<br>Side                         | 1        | 2000 & Newer Nissan<br>Products(Includes Nissan Quest &<br>Maxima)   |
|  | 060-2300   | 1        | 17MM WRENCH SIZE WITH<br>14MM THREADS -<br>EUROPEAN CARS INLET<br>AND/OR RETURN.<br>MAY BE USED WITH 060-2700.<br>CIS SYSTEMS, MERCEDES,<br>AUDI A-6               |
|  | 060-2600   | 1        | 19MM WRENCH SIZE WITH<br>16MM THREADS -<br>EUROPEAN CARS INLET<br>AND/OR RETURN.<br>MAY BE USED WITH 060-2700.   |
|  | 060-2700   | 1        | 14MM X 16MM UNION.<br>USE IN CONJUNCTION WITH<br>060-2300 AND 060-2600<br>FOR CIS APPLICATIONS.  |

## CarbonClean Dual Master Diesel Adapter Kit #200-3031

| Adapter   | Part No.  | Quantity    | Application   |
|---|---|-------------|---|
|    | 060-1000  | 2           | GENERAL APPLICATIONS UTILIZING 1/4" FUEL LINE MALE. (USE WITH SUITABLE HOSE CLAMPS.)      |
|    | 060-1100  | 1           | GENERAL APPLICATIONS UTILIZING 5/16" FUEL LINE MALE. (USE WITH SUITABLE HOSE CLAMPS.)     |
|    | 060-1200  | 2           | GENERAL APPLICATIONS UTILIZING 3/8" FUEL LINE - MALE. (USE WITH SUITABLE HOSE CLAMPS.)    |
|    | 060-1300  | 2           | GENERAL APPLICATIONS UTILIZING 1/4" FUEL LINE - FEMALE. (USE WITH SUITABLE HOSE CLAMPS.)  |
|    | 060-1400  | 1           | GENERAL APPLICATIONS UTILIZING 5/16" FUEL LINE - FEMALE. (USE WITH SUITABLE HOSE CLAMPS.) |
|   | 060-1500  | 2           | GENERAL APPLICATIONS UTILIZING 3/8" FUEL LINE - FEMALE. (USE WITH SUITABLE HOSE CLAMPS.)  |
|  | 060-1600  | 1           | 12MM BANJO FITTING IN CONJUNCTION WITH 060-1900, 060-1901, 060-1902.                      |
|  | 060-1602  | 1           | 12MM 90 DEGREE BANJO FITTING IN CONJUNCTION WITH 060-1900, 060-1901, 060-1902             |
|  | 060-2402  | 2           | 14MM BANJO FITTING  |
|  | 060-2501  | 1           | FORMS "TANK TO TANK" LOOP ON ALL VEHICLES.  |
|  | 060-2740<br>(Bolt)<br>060-2741<br>(Washer)<br>060-2742<br>(Nut) | 1<br>3<br>1 | CONNECTS 14MM BANJO   |
|  | 060-3200  | 1           | 1/4" MALE NPT.  |
|  | 061-0004  | 2           | #4 FLARE, 45 DEGREE MALE  |
|  | 061-0005  | 2           | #5 FLARE, 45 DEGREE MALE  |

|   |          |   |  |
|---|----------|---|--|
|  | 061-0006 | 2 | #6 FLARE, 45 DEGREE MALE   |
|  | 061-0505 | 2 | #5 X #5 FEMALE FLARE (45 )<br>COUPLER  |
|  | 061-0604 | 2 | #6 X #4 FEMALE FLARE (45 )<br>COUPLER  |
|  | 061-3510 | 2 | GENERAL APPLICATIONS<br>UTILIZING 3/16" FUEL LINE -<br>FEMALE. (USE WITH SUITABLE<br>HOSE CLAMPS.) |
|  | 061-5800 | 2 | HOSE CONNECTOR FOR AIR<br>BRAKE TYPE FITTINGS 5/8"   |